

29592

Aluminum Handle, 1460 mm, , Green



This handle with colour-coded grip can be used with any product in the Vikan range.

Technical Data

Item Number	29592
Material	Anodised Aluminium Polypropylene
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
California Proposition 65 Compliant	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	900 Pcs
Quantity Per Layer (Pallet)	50 Pcs.
Product Diameter	25 mm
Length	1460 mm
Width	25 mm
Height	25 mm
Net Weight	0.33 kg
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))	0.0056 kg
Weight cardboard	0.0159 kg
Tare total	0.0215 kg
Gross Weight	0.35 kg
Cubik metre	0.000913 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature ³	-20 °C
Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
Recycling Symbol "7", Miscellaneous Plastics	No
Gtin-13 Number	5705020295928
GTIN-14 Number (Box quantity)	15705020295925
Customs Tariff No.	82119500
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.