Brush w/Hand Guard, 500 mm, Medium, White





Designed for cleaning sharp edged cutters, this Brush with Hand Guard protects the user's hand from blades and other sharp parts during the cleaning process.

Technical Data

Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity See Pallet (80 x 120 x 200 cm) 264 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 500 mm Width 145 mm Height 145 mm Net Weight Dag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.092 kg Weight Cardboard 0.092 kg Gross Weight 0.3 kg Gross Weight 0.3 kg Cubik metre 0.0105/12 M3 Max. cleaning temperature (Dishwasher) 93 "C Max usage temperature (food contact) 100 "C Max usage temperature (mon food contact) 100 "C Min. usage temperature (mon food contact) 100 "C Max usage tempera	Item Number	41845
Complies with (EC) 1935/2004 on food contact materials¹ Polyester Stainless Steel (AISI 304) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Box Quantity Foc. Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length So0 mm Width Height Height Height Not Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Gross Weight Cubik metre O.010512 M3 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration	Visible bristle length	40 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Wes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 264 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 500 mm Width 145 mm Net Weight 0.2 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.092 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) Max usage temperature (Inon food contact) Min. usage temperature Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020041843 Customs Tariff No. 96039099	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 264 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 500 mm Width 145 mm Height 145 mm Net Weight 0.2 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.012 kg Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max usage temperature 100 °C Min. usage temperature 20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 10.5 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity Spec. Quantity per Pallet (80 x 120 x 200 cm) Quantity per Layer (Pallet) Son mm Width Height Height Height Not Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Cubik metre O.012 kg Gross Weight Cubik metre O.010512 M3 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Max User Smith Sign (Box Quantity) Cutowns Tarriff No.	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 264 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 500 mm Width 145 mm Height 0.2 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.012 kg Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Max. ph-value in usage concentration 10.5 pH Max. ph-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041843 Customs Tariff No. 96039099	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 264 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 500 mm Width 145 mm Height 145 mm Net Weight 0.2 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.012 kg Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Max. ph-value in usage concentration 2 pH Max. ph-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041843 Customs Tariff No. 96039099	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 264 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 500 mm Width 145 mm Height 145 mm Net Weight 0.2 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041846 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 264 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 500 mm Width 145 mm Height 145 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.2 kg Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020041846 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 264 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 500 mm Width 145 mm Height 0.2 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.012 kg Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041846 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 30 Pcs. Length 500 mm Width 145 mm Height 145 mm Net Weight 0.2 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.012 kg Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041843 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Box Quantity	5 Pcs.
Length 500 mm Width 145 mm Height 145 mm Net Weight 0.2 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.012 kg Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041848 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Quantity per Pallet (80 x 120 x 200 cm)	264 Pcs
Width 145 mm Height 145 mm Net Weight 0.2 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.012 kg Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041843 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Quantity Per Layer (Pallet)	30 Pcs.
Height 145 mm Net Weight 0.2 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.012 kg Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041843 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Length	500 mm
Net Weight 0.2 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.012 kg Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041843 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Width	145 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041843 Customs Tariff No. 96039099	Height	145 mm
Weight cardboard 0.092 kg Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041846 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Net Weight	0.2 kg
Tare total 0.104 kg Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041846 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.012 kg
Gross Weight 0.3 kg Cubik metre 0.010512 M3 Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041846 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Weight cardboard	0.092 kg
Cubik metre0.010512 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020041846GTIN-14 Number (Box quantity)15705020041843Customs Tariff No.96039099	Tare total	0.104 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020041846GTIN-14 Number (Box quantity)15705020041843Customs Tariff No.96039099	Gross Weight	0.3 kg
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020041846GTIN-14 Number (Box quantity)15705020041843Customs Tariff No.96039099	Cubik metre	0.010512 M3
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020041846GTIN-14 Number (Box quantity)15705020041843Customs Tariff No.96039099	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041846 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Max usage temperature (food contact)	100 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020041846GTIN-14 Number (Box quantity)15705020041843Customs Tariff No.96039099	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041846 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020041846 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Max. drying temperature	100 °C
Gtin-13 Number 5705020041846 GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020041843 Customs Tariff No. 96039099	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 96039099	Gtin-13 Number	5705020041846
	GTIN-14 Number (Box quantity)	15705020041843
Country of origin Denmark	Customs Tariff No.	96039099
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.