70125

Mixer w/Holes, Ø31 mm, 1200 mm, White





This fully-moulded Mixer features a long handle and a small blade with holes. Suitable for stirring food ingredients in large pots and vats, the holes ease stirring by allowing ingredients to pass through the stirrer blade.

## **Technical Data**

MaterialPolypropyleneComplies with (EC) 1935/2004 on food contact materials'YesProduced according to EU Regulation 2023/2006/EC of GoodYesEDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)275 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth083 mmHeight0.0018 mmWidth0.018 mmKueght bag (Recycling Symbol "4" Low Density Polyethylene0.0209 kg(DDF)0.001723 fmWeight cardboard0.0418 kgGross Weight0.0527 kgCubik metre0.00723 fmMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature2.010 °CMax. drying temper	Item Number	70125
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)275 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgCubik metre0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (Dishwasher)2 PHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration3 9241000	Material	Polypropylene
Manufacturing Practice Yes   FDA compliant raw material (CFR 21) Yes   Complies with UK 2019 No. 704 on food contact materials Yes   Meets the REACH Regulation (EC) No. 1907/2006 Yes   Use of phthalates and bisphenol A No   Is Halal and Kosher compliant Yes   Box Quantity 1 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 275 Pcs   Quantity Per Layer (Pallet) 1 Pcs.   Product Diameter 31 mm   Length 1200 mm   Width 163 mm   Height 37 mm   Net Weight 0.89 kg   Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0202 kg   Cubik metre 0.007237 M3   Recommended sterillsation temperature (Autoclave) 121 °C   Max usage temperature (Dishwasher) 93 °C   Max usage temperature -20 °C   Max. rpH-value in usage concentration 2 pH   Max. pH-value in Usage Concentration 2 pH   Max. pH-value in Usage Concentration 2 pH   Max. pH-value in Usage Concentration 10.5 pH   Recycling Symbol "5", Polypropylene (PP)	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Comples with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)275 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.00627 kgGubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (Doid contact)100 °CMin. usage temperature20 °CMax. drying temperature20 °CMax. drying temperature20 °CMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration3 9241000		Yes
Meets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)275 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 "CMax usage temperature (Dishwasher)93 "CMax usage temperature (Ion food contact)100 "CMin. usage temperature120 "CMin. usage temperature2.01 "CMax. drying temperature2.02 "CMax. drying temperature2.01 "CMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration3 p241000	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)275 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNe Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature20 °CMax. drying temperature2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration3 p241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)275 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax usage temperature (100 contact)100 °CMax. drying temperature20 °CMax. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration3 p241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)275 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm)275 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Box Quantity	1 Pcs.
Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature?-20 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Quantity per Pallet (80 x 120 x 200 cm)	275 Pcs
Length1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Quantity Per Layer (Pallet)	1 Pcs.
Vidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesStin-13 Number5705020701252Customs Tariff No.39241000	Product Diameter	31 mm
Height37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Length	1200 mm
Net Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage concentration2 pHMax. pH-value in usage concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Width	163 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene0.0209 kg(LDPE)0.0418 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Height	37 mm
(LDPE)Weight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Net Weight	0.89 kg
Tare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000		0.0209 kg
Gross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature 3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Weight cardboard	0.0418 kg
Cubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Tare total	0.0627 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Gross Weight	0.95 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Cubik metre	0.007237 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Max. drying temperature	120 °C
Recycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Min. pH-value in usage concentration	2 pH
Gtin-13 Number   5705020701252     Customs Tariff No.   39241000	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 39241000	Recycling Symbol "5", Polypropylene (PP)	Yes
	Gtin-13 Number	5705020701252
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below  $0^{\circ}$  Celsius.