Table & Floor Scraper, 260 mm, , White





Remove stubborn food debris from floors and other surfaces with this Table and Floor Scraper. Features a stainless-steel blade and can be used with any Vikan handle.

Technical Data

Material Polypropylene Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA complies with UK 2019 No. 704 on food contact materials Pes Meets the REACH Regulation (EC) No. 1907/2006 Pes California Proposition 65 Compliant Pes Use of phthalates and bisphenol A Pos Office of phthalates and bisphenol A Pos Use of phthalates and bisphenol A Pos Office of phthalates and bisphenol A Pos Office of phthalates a	Item Number	29105
Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Regulation Quantity Per Layer (Pallet) Length 260 mm Width 32 mm Net Weight 262 kg Weight cardboard 0.0242 kg Gross Weight Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature Max drying temperature 120 °C Max drying temperature Max. drying temperature Max. pH-value in usage concentration Max. pH-value in Usage Concentration GTIN-14 Number (Box quantity) Customs Tariff No. 82159910	Blade Thickness	1 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Regulation (EQ) No. 200 cm) Regulation (EQ) No. 200 cm) Width 260 mm Width 270 mm Width 270 mm Net Weight 270 mm Net Weight 271 care total 272 cushik metre 273 cushik metre 274 cushik metre 275 max usage temperature (food contact) 276 max usage temperature 277 max usage temperature 278 max drying temperature 279 max. drying temperature 270 max. drying temperature 270 max. pH-value in usage Concentration 270 cushoms Tariff No. 270 max 15705020029100 274 cushoms Tariff No. 275 max 25705020029100 275 cushoms Tariff No. 276 max 25705020029100 277 cushoms Tariff No. 278 max 25705020029100 278 cushoms Tariff No.	Material	Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Roughtly Per Layer (Pallet) Length Width 32 mm Width 175 mm Net Weight Acube in Usage temperature (Autoclave) Max usage temperature (food contact) Min. pH-value in usage Concentration Max. pH-value in Usage Concentration Materia Sambars GTIN-14 Number (Box quantity) Customs Tariff No. Pes Yes Aves Acube in Maxery (Pallet) Acube in Usage Concentration Pes Acube in Usage Indicated (Pallet) Acube in Usage Indicated (P	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Roughty Per Layer (Pallet) Length Width 32 mm Height 175 mm Net Weight 0.26 kg Weight cardboard Tare total Gross Weight Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature 120 °C Max. drying temperature Min. pH-value in usage Concentration 105 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) Customs Tariff No.	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 32 mm Height 175 mm Net Weight 0.26 kg Weight cardboard 0.0242 kg Gross Weight 0.28 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 2 pH Max. drying temperature 2 pH Max. pH-value in usage concentration 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 8215910	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 32 mm Height 175 mm Net Weight 0.26 kg Weight cardboard 0.0242 kg Gross Weight 0.28 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage concentration 10.5 pH Gitin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 32 mm Height 175 mm Net Weight 0.26 kg Weight cardboard 0.0242 kg Gross Weight 0.0242 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage concentration 2 pH Gitin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 32 mm Height 175 mm Net Weight 0.26 kg Weight cardboard 0.0242 kg Gross Weight 0.28 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	California Proposition 65 Compliant	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 32 mm Height 175 mm Net Weight 0.26 kg Weight cardboard 0.0242 kg Gross Weight 0.0242 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 32 mm Height 175 mm Net Weight 0.26 kg Weight cardboard 0.0242 kg Gross Weight 0.28 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 32 mm Height 175 mm Net Weight 0.26 kg Weight cardboard 0.0242 kg Tare total 0.0242 kg Gross Weight 0.28 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 1570502002910 Customs Tariff No. 82159910	Box Quantity	10 Pcs.
Length 260 mm Width 32 mm Height 175 mm Net Weight 0.26 kg Weight cardboard 0.0242 kg Tare total 0.0242 kg Gross Weight 0.28 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Quantity per Pallet (80 x 120 x 200 cm)	800 Pcs
Width 32 mm Height 175 mm Net Weight 0.26 kg Weight cardboard 0.0242 kg Tare total 0.0242 kg Gross Weight 0.28 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Quantity Per Layer (Pallet)	80 Pcs.
Height 175 mm Net Weight 0.26 kg Weight cardboard 0.0242 kg Tare total 0.0242 kg Gross Weight 0.28 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Length	260 mm
Net Weight 0.26 kg Weight cardboard 0.0242 kg Tare total 0.0242 kg Gross Weight 0.28 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Min. usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Width	32 mm
Weight cardboard 0.0242 kg Tare total 0.0242 kg Gross Weight 0.28 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Height	175 mm
Tare total 0.0242 kg Gross Weight 0.28 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Net Weight	0.26 kg
Gross Weight 0.28 kg Cubik metre 0.001456 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Weight cardboard	0.0242 kg
Cubik metre0.001456 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103GTIN-14 Number (Box quantity)15705020029100Customs Tariff No.82159910	Tare total	0.0242 kg
Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No.	Gross Weight	0.28 kg
Max usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103GTIN-14 Number (Box quantity)15705020029100Customs Tariff No.82159910	Cubik metre	0.001456 M3
Max usage temperature (non food contact)170 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020029103GTIN-14 Number (Box quantity)15705020029100Customs Tariff No.82159910	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature	Max usage temperature (food contact)	170 °C
Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Max usage temperature (non food contact)	170 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Max. drying temperature	120 °C
Gtin-13 Number 5705020029103 GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020029100 Customs Tariff No. 82159910	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 82159910	Gtin-13 Number	5705020029103
	GTIN-14 Number (Box quantity)	15705020029100
Country of origin Denmark	Customs Tariff No.	82159910
	Country of origin	Denmark

intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.