Meat Mincer Brush, 130 mm, Medium, Green





Designed for cleaning tanks and containers, this Meat Mincer brush can also clean feeder pipes and tubes in food production equipment. Can be used with any Vikan handle.

Technical Data

Polye	70352
Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity Per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature² Max. drying temperature	33 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter Length Width Height Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Max. drying temperature	oropylene ester less Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Max. drying temperature	Yes
Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Max. drying temperature	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Max. drying temperature	Yes
Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Max. drying temperature	Yes
Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Max. drying temperature	Yes
Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature ³ Max. drying temperature	No
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter Length Width Height Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Max. drying temperature	Yes
Quantity Per Layer (Pallet) Product Diameter Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature³ Max. drying temperature	8 Pcs.
Product Diameter Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Max. drying temperature	384 Pcs
Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature³ Max. drying temperature	48 Pcs.
Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Max. drying temperature	135 mm
Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Max. drying temperature	130 mm
Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Max. drying temperature	130 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature ³ Max. drying temperature	115 mm
Weight cardboard Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Max. drying temperature	0.32 kg
Tare total Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Max. drying temperature	0.0063 kg
Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Max. drying temperature	0.0232 kg
Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Max. drying temperature	0.0295 kg
Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Max. drying temperature	0.35 kg
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Max. drying temperature	0.001944 M3
Max usage temperature (non food contact) Min. usage temperature³ Max. drying temperature	121 °C
Min. usage temperature ³ Max. drying temperature	80 °C
Max. drying temperature	100 °C
	-20 °C
Min. pH-value in usage concentration	100 °C
	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	705020703522
GTIN-14 Number (Box quantity)	705020703529
Customs Tariff No.	96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.