Round Hand Scrub, 110 mm, Hard, Green





Effectively scrub and clean conveyor belts, food containers and more with this sturdy Round Hand Scrub, featuring an ergonomic design that lets you apply more pressure to the brush during use.

Technical Data

Waterial Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Use of phthalates and bisphenol A Is Halal and Kosher compliant Design Registration No. Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter Length	Polypropylene Polyester Stainless Steel (AISI
Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Use of phthalates and bisphenol A Is Halal and Kosher compliant Design Registration No. Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter	Polyester
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Use of phthalates and bisphenol A s Halal and Kosher compliant Design Registration No. Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter	304)
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Use of phthalates and bisphenol A Is Halal and Kosher compliant Design Registration No. Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter	Yes
Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Use of phthalates and bisphenol A Is Halal and Kosher compliant Design Registration No. Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter	Yes
Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Use of phthalates and bisphenol A s Halal and Kosher compliant Design Registration No. Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter	Yes
California Proposition 65 Compliant Use of phthalates and bisphenol A s Halal and Kosher compliant Design Registration No. Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter	Yes
Use of phthalates and bisphenol A s Halal and Kosher compliant Design Registration No. Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter	Yes
s Halal and Kosher compliant Design Registration No. Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter	Yes
Design Registration No. Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter	No
Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter	Yes
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Product Diameter	EU 002533729-1-5
Quantity Per Layer (Pallet) Product Diameter	15 Pcs.
Product Diameter	1200 Pcs
	120 Pcs.
_ength	110 mm
	110 mm
Width	110 mm
Height	110 mm
Net Weight	0.24 kg
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0063 kg
Weight cardboard	0.0089 kg
Tare total	0.0152 kg
Gross Weight	0.26 kg
Cubik metre	0.001331 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature³	-20 °C
Max. drying temperature	100 °C
Min. pH-value in usage concentration	
Max. pH-value in Usage Concentration	2 pH

Gtin-13 Number	5705020388521
GTIN-14 Number (Box quantity)	15705020388528
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.