

9.9 CAL ARC BOXER SHORTS





DW-ARC9.9-BSH

Description

The Dromex[®] Arc product range is designed to protect the user from the hazards of heat and to reduce total burn injury when working in environments exposed to electric Arc hazards.

Dromex[®] Arc garments are manufactured with our exclusive Dromex[®] A.P.T[™] (Arc Protective Technologies) fabric blend, which has been carefully developed by our team along with industry experts and professionals to ensure specialised Arc safety and global standards are met.

Our Dromex* A.P.T $^{\rm TM}$ fabric and garments have been tested to NFPA, ASTM, EN, SABS and IEC standards.

This boxer short consists of the following:

- An elastic waist for an ideal fit.
- Double needle topstitched on elastic and cover stitched at hem for added durability.
- An anatomical isolation pouch providing the user with maximum comfort.
- Front left panel with Dromex[®] Arc and ATPV 9.9 cal/cm² heat transfer print for garment suitability identification.

Dromex® 9.9cal/cm² Boxer shorts must only be worn as an undergarment.

These garments are commonly used in the following industries:

- Automotive
- Construction
- Mining
- Petroleum
- Utilities and Power Generators
- Data centres
- High volume manufacturing
- Substations and switchrooms

 $\label{eq:Dromex} Dromex^{*} A.T.P^{\texttt{T}} Fabrics are self-extinguishing, heat resistant and resistant to ignition. Dromex^{*} Arc garments are sewn with inherent flame retardant thread.$

Special Instructions

Note: For electric Arc exposures, wear the correct number of flame resistant clothing layers as dictated by an electric arc hazard analyst. In potentially explosive environments, proper grounding procedures must be

used for protection against electrostatic spark ignition. Do not put on or remove garments when in a potentially explosive environment.

None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer.

The manufacturer has examined under the system for ensuring quality of production by means of monitoring and inspection.

These Arc flash boxer shorts are designed to accommodate the basic safety requirements and standards for Personal Protective Equipment. The information contained herein is intended to assist the wearer in the selection of Personal Protective Equipment.

Actual conditions of use cannot be directly simulated in a test environment therefore it is the responsibility of the end user and not the manufacturer or supplier to determine the arc flash suitability for the intended use. Arc flash protective boxer shorts should be thoroughly inspected before use to ensure no damage is present.

Specifications

| Style: | Men's navy blue flame retardant boxer short with elasticated waist. |
|---------------------|--|
| Fabric composition: | 88% Cotton 12% Nylon. |
| Mass: | 203gsm. |
| Thread: | Flame retardant. |
| Additional: | Arc clothing must be worn with additional and correctly selected Arc PPE to ensure complete protection against the hazards of Arc Flash. Refer to table "Arc Flash PPE Categories" for further compatible PPE. |

Sizes Available

S-XL.

| Size designation | Relaxed waist | Side seam incl w/b | Leg opening | Inleg | Elastic width | Back rise inl w/b | Front rise incl w/b |
|------------------|---------------|--------------------|-------------|-------|---------------|-------------------|---------------------|
| S/M | 68 | 30 | 50 | 19 | 4 | 30 | 30.5 |
| L/XL | 72 | 30 | 54 | 21 | 4 | 30 | 30.5 |

Packaging, Storage & Obsolescence

DW-ARC9.9-BSH are packed in a resealable polybag and sold individually.

Inspect all Arc PPE prior to use and do not use garments that are damaged (such as tears or burn holes) or dirty as the level of protection may be reduced.

The level of protection may also be reduced if you do not carefully follow the wash care instructions on the label.

If exposed to an Arc Flash incident, the garment must be replaced immediately.

Compliance & Conformity

Complies to marking SANS 724, Personal Protective Equipment and protective clothing against the thermal hazards of an electric arc.
 IEC 61482-1-1 - Live working - Protective clothing against the thermal hazards of an electric arc - Open Arc Test Method. It determines the Arc Thermal Protection Value (ATPV level) of the garment. The basic principle is that the ATPV of the garment must be higher than the Arc Flash energy.
 IEC 61482-1-2, Live working - Protective clothing against the thermal hazards of an electric arc - Box Test Method. It determines the Arc Protection Class Rating of the material or garment by using a constrained and directed arc:
 EN 61482-1-2:2014 - LIVE WORKING - PROTECTIVE CLOTHING AGAINST THE

THERMAL HAZARDS OF AN ELECTRIC ARC - PART 1-2: TEST METHODS -METHOD 2: DETERMINATION OF ARC PROTECTION CLASS OF MATERIAL AND CLOTHING BY USING A CONSTRAINED AND DIRECTED ARC (BOX TEST) (IEC 61482-1-2:2014)

- NFPA 2112 Standard on flame resistant clothing for protection of industrial personnel against short duration thermal exposures from fire
 ASTM F1959, Standard Test Method for Determining the Arc Rating of Materials for Clothing
- ASTM F2621-12, Standard Practice for Determining Response Characteristics and Design Integrity of Arc Rated Finished Products in an Electric Arc Exposure.
- EN 11611:2015, Protective clothing for use in welding and allied processes.
 EN 11612:2015 Protective clothing -- Clothing to protect against heat and flame -- Minimum performance requirements.

Cleaning & Maintenance

Dromex[®] A.P.T[™] garments can be cleaned by home or commercial laundry or by dry cleaning procedures without loss of their protective features. The following suggestions will help keep your garment safe and neat. Should home procedures not remove contaminants, commercial laundering or dry-cleaning is recommended:

- Launder garments of Dromex[®] A.P.T[™] separate from personal non-flame resistant clothing to help avoid contamination by flammable materials.
 Pre-treat greasy stains and collar/cuff lines.
- Wash garments in warm water with heavy duty detergent.
- Do not use chlorine bleach or detergents containing chlorine bleach.
- Chlorine bleach may cause fading and reduce fabric strength. • Tumble dry garments at a low setting.
- Remove and hang garments as soon as tumbler stops.
- Do not hang in direct sunlight as fading may occur.
- When using commercial laundry aids, be sure to carefully follow the manufacturer's instructions.



MAIN ARC HEAT TRANSFER PRINT

DROMEX ARC BOOKLET



<-----> Position: Back (Inside)

ARC HEAT TRANSFER PRINT



Left hand side wearing at front (Below print)

Disposal

Disclaime

All industrial waste should be disposed of correctly according to local regulations and good disposal practice. Please consider recycling.

Dromex: Unit 1, 1 Blase Road, New Germany, 3620, South Africa T. +27(31) 713 1960 E. info@dromex.co.za www.dromex.co.za

Latest update: 02/06/2022

Dromex reserves the right to make changes without further notice to any products herein to improve function, design or reliability and validity. Dromex does not assume any liability arising out of the application or use of any product described herein. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner.

Promex Contraction

Position: Tag attached inside garment

R PRINT HEAT TRANSFER PRINT (WHITE)



<---- somm -----> Position: Left hand side wearing at front Arc Flash PPE Categories



T. +27(31) 713 1960 E. info@dromex.co.za

www.dromex.co.za

Latest update: 02/06/2022 Disclaimer Dromex reserves the right to make changes without further notice to any products herein to improve function, design or reliability and validity. Dromex does not assume any liability arising out of the application or use of any product described herein. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner.