





DW-ARC15

Description

The Dromex[®] Arc product range is designed to protect the user from the hazards of heat and to reduce total burn injury when working in environments exposed to electric Arc hazards.

Dromex[®] Arc garments are manufactured with our exclusive Dromex[®] A.P.T[™] (Arc Protective Technologies) fabric blend, which has been carefully developed by our team along with industry experts and professionals to ensure specialised Arc safety and global standards are met. Our Dromex[®] A.P.T[™] fabric and garments have been tested to NFPA, ASTM, EN, SABS and IEC standards.

This attire consists of the following:

- Jacket features:
- Silver flame retardant reflective tape on sleeves for enhanced visibility.
 Front opening with concealed flame retardant brass zip and Velcro strips closure for ease of putting on and taking off.
- Seams with triple needle topstitching for added durability.
- Sleeves feature a flame retardant knitted cuff providing a great seal when used with gloves and prevents sleeves from rolling upwards.
- Right sleeve with Dromex[®] Arc heat transfer print.
- 1 Left chest pocket and mitred flap with concealed flame-retardant Velcro closure and Dromex Arc heat transfer print.
- ATPV 15 cal/cm² embroidery on right hand side of chest for garment suitability identification.
- 2 Rounded waist pockets with concealed flame retardant Velcro strip closure.
- Side slits for better fit over waist.

Pants features:

- Silver flame retardant reflective tape on legs for enhanced visibility.
- Front opening with concealed flame retardant brass zip, Velcro strip and metal button closure for ease of putting on and taking off.
- An elasticated waist with 7 belt loops.
- Seams with triple needle topstitching for added durability.
- Front with side swing pockets.
- Back right hand side with rounded pocket and mitred flap with concealed flame retardant Velcro strip closure and Dromex Arc heat transfer print.
- ATPV 15 cal/cm² embroidery at centre of left back panel for garment suitability identification.
- Ruler pocket on the right back leg.

These garments are commonly used in the following industries:

- Automotive
- Construction
- Mining
- Petroleum
- Utilities and Power Generators
- Data centres
- High volume manufacturing
- Substations and switchrooms

Dromex[®] A.P.T[™] fabrics are self-extinguishing, heat resistant and resistant to ignition. Dromex[®] Arc garments are sewn with inherent flame retardant thread.

Special Instructions

Note: For electric Arc exposures, wear the correct number of flame resistant clothing layers as dictated by an electric Arc hazard analyst. In potentially explosive environments, proper grounding procedures must

be used for protection against electrostatic spark ignition. Do not put on or remove garments when in a potentially explosive environ-

ment.

None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer.

The manufacturer has examined under the system for ensuring quality of production by means of monitoring and inspection.

These Arc flash suits are designed to accommodate the basic safety requirements and standards for Personal Protective Equipment.

The information contained herein is intended to assist the wearer in the selection of Personal Protective Equipment.

Actual conditions of use cannot be directly simulated in a test environment therefore it is the responsibility of the end user and not the manufacturer or supplier to determine the Arc flash suitability for the intended use.

Arc flash protective suits should be thoroughly inspected before use to ensure no damage is present.

Specifications

Style:	2-Piece collared long sleeve conti suit, with reflective strips, available in navy blue.
Fabric composition:	88% Cotton 12% Nylon.
Mass:	305gsm/9oz.
Reflective:	50mm Silver flame retardant tape.
Additional:	Arc clothing must be worn with additional and correctly selected Arc PPE to ensure complete protection against the hazards of Arc Flash. Refer to table "Arc Flash PPE Categories" for further compatible PPE.

Packaging, Storage & Obsolescence

- Jacket: DW-ARC15-J (Navy blue) are packed in a resealable polybag and sold individually.
- Pants: DW-ARC15-P (Navy blue) are packed in a resealable polybag and sold individually.

Inspect all Arc PPE prior to use and do not use garments that are damaged (such as tears or burn holes) or dirty as the level of protection may be reduced.

The level of protection may also be reduced if you do not carefully follow the wash care instructions on the label.

If exposed to an Arc Flash incident, the garment must be replaced immediately.

Dromex: Unit 1, 1 Blase Road, New Germany, 3620, South Africa T. +27(31) 713 1960 E. info@dromex.co.za www.dromex.co.za

Disclaimer Latest update: 06/09/2022 Dromex reserves the right to make changes without further notice to any products herein to improve function, design or reliability and validity. Dromex does not assume any liability arising out of the application or use of any product described herein. Reproduction in whole or in part is prohibited without the prior written consent of the copyright towner.

Sizes Available

Jacket: 30 - 68

Size		Nominal measurements of finished garment (cm)				
des	ignation	Chest	Back	Back	Sleeve	
		circumference	length	width	length	
XS	30/77	94	70	36	47	
s	32/82	99	71	38	47	
3	34/87	104	72	40	48	
м	36/92	109	73	42	48	
141	38/97	114	74	44	49	
L	40/102	119	74,5	46	49	
	42/107	124	75	48	50	
XL	44/112	129	75,5	50	50	
~L	46/117	134	76	52	51	
2XL	48/122	139	76,5	54	51	
271	50/127	144	77	56	52	
3XL	52/132	149	77,5	58	52	
SAL	54/137	154	78	60	53	
4XL	56/142	159	78,5	62	53	
471	58/147	164	79	64	54	
5XL	60/152	169	79,5	66	54	
JAL	62/157	174	80	68	54	
6XL	64/162	179	80,5	70	54	
	66/167	184	81	72	54	
7XL	68/182	189	81,5	74	54	

Pants: 28 - 66

	Size	Nominal measurements of finished garment (cm)			
designation		Waist	Outside leg	Inside leg	
		extended	length	length	
s	28/72	85	104	79	
3	30/77	90	106	80	
M	32/82	95	108	81	
141	34/87	100	110	82	
L 3	36/92	105	110	82	
-	38/97	110	110	82	
XL	40/102	115	111	82	
	42/107	120	111	81	
2XL	44/112	125	111	81	
271	46/117	130	111	80	
3XL	48/122	135	111	80	
JAL	50/127	140	112	80	
4XL	52/132	145	112	80	
471	54/137	150	113	80	
5XL	56/142	155	113	80	
SAL	58/147	160	113	80	
6XL	60/152	165	114	80	
OVL	62/157	170	114	80	
7XL	64/162	175	114	80	
/AL	66/167	180	114	80	

Compliance & Conformity

 Complies to marking SANS 724, Personal Protective Equipment and protective clothing against the thermal hazards of an electric Arc. • IEC 61482-1-1 - Live working - Protective clothing against the thermal hazards of an electric Arc - Open Arc Test Method. It determines the Arc Thermal Protection Value (ATPV level) of the garment. The basic principle is that the ATPV of the garment must be higher than the Arc Flash energy.

• IEC 61482-1-2, Live working - Protective clothing against the thermal hazards of an electric Arc - Box Test Method. It determines the Arc Protection Class Rating of the material or garment by using a constrained and directed Arc:

- EN 61482-1-2:2014 LIVE WORKING PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF AN ELECTRIC ARC
- PART 1-2: TEST METHODS
- METHOD 2: DETERMINATION OF ARC PROTECTION CLASS OF MATERIAL AND CLOTHING BY USING A CONSTRAINED AND DIRECTED ARC (BOX TEST) (IEC 61482-1-2:2014).
- NFPA 2112 Standard on flame resistant clothing for protection of industrial personnel against short duration thermal exposures from fire. NFPA 70E - Standard for electrical safety clothing for employees.
- ASTM F1959, Standard Test Method for Determining the Arc Rating of Materials for Clothing.
- ASTM F2621-12, Standard Practice for Determining Response Characteristics and Design Integrity of Arc Rated Finished Products in an Electric Arc Exposure.
- EN 11611:2015, Protective clothing for use in welding and allied processes.
- EN 11612:2015 Protective clothing -- Clothing to protect against heat and flame -- Minimum performance requirements.
- CE 0338 approved, issued by notified body BTTG for regulation (EU2016/425).

Cleaning & Maintenance

Dromex[®] A.P.T[™] Garments can be cleaned by home or commercial laundry or by dry cleaning procedures without loss of their protective features. The following suggestions will help keep your garment safe and neat. Should home procedures not remove contaminants, commercial laundering or dry-cleaning is recommended:

- Launder garments of Dromex[®] A.P.T[™] separate from personal non-flame resistant clothing to help avoid contamination by flammable materials. • Pre-treat greasy stains and collar/cuff lines.
- · Wash garments in warm water with heavy duty detergent.
- Do not use chlorine bleach or detergents containing chlorine bleach.
- Chlorine bleach may cause fading and reduce fabric strength.
- Tumble dry garments at a low setting.
- Remove and hang garments as soon as tumbler stops.
- Do not hang in direct sunlight as fading may occur.
- When using commercial laundry aids, be sure to carefully follow the manufacturer's instructions.

Warm	Do not use	Tumble	Cool Iron	Dry
Wash	Bleach	Dry Low		Cleanable
60C	\times	\overline{ullet}	•	P

Disposal

All industrial waste should be disposed of correctly according to local regulations and good disposal practice. Please consider recycling.

Marking

TYVEK ATPV LOOP FOLD CARE LABEL



ATPV 15 cal/cm This garment is made o. Dromex A.P.T[™] (Arc Protective Technologi nd is a trademark of Dromex Manufactured by Dromex P.O. Box 2005, New Germany, 3620 Feb 031 713 1960, Fax: 031 705 6508 rpose of this garment is to protect again hermal hazards created by an Arc Flash.

This garment is not suitable for fire fighting or any other exposures where flame is of a continuous nature.

Flammable contaminants will reduce the thermal protection of any flame-resistant garment. Wash the garment frequently to ensure that no greases, oil soils and other flammable contaminants are present when the garment is worn. Repairs to the garment must be made with flame resistant components.

To maximise protection, garments should be: - Loss fitting, - Worn with functionary negative - Worn with functionary and the state of the state - Maximise confort: - Try on garments to check for correct fit before washing. - Wash new garments before wearing to remove fabric processing adds of minihes

For electric ARC exposure, wear the correct number of flame resistant clothing layers as dictated by an electric arc hazard analyst.

analyst. In potentially explosive environments, proper grounding procedures must be used for protection against electrosta spark ignition. Do not put on or remove garments when in a notentially explosive environment

Garments of Dromex AP.T[™] brand fibre can be cleaned by homo or commercial laundry or by dry cleaning procedures without affecting the lifespan of the garment or its protective features The following suggestions will help keep your garment looking neat, attractive and safe. If home procedures do not remove contaminants, commercial laundering or dry cleaning is

Launder garments of Dromex A.P.T ™ separate from personal non-flame resistant clothing to help avoid contamination by flammable materials. Pre-treat greasy stains and collar/cuff

Wash Garments in hot water with a heavy duty detergent. Do not overload home laundry equipment.

Do not use chlorine bleach or detergents containing chlorine bleach as it may cause fading and reduce fabric strength.

Tumble dry garments at a low setting. Use the cool down cycle if available. Remove and hang garments as soon as tumble dryer stops. Do not hang in direct sunlight as it can cause fading and reduce fabric strength. When using commercial laundry aids, be sure to read and carefully follow the manufacturer's instructions.

<-----



 Jacket - Above side slits (Left hand side) · Pants - Inside (below left pocket)

ORIGIN & YOM LABEL

MADE IN SOUTH AFRICA Y. O. M. 2022 - 35mm

Position[.]

Position. Jacket - Neck Pants - Inside (left pocket)

EMBROIDERY (WHITE THREAD)



· Jacket - Right breast (Centre of panel)

Pants - Back left (Centre of panel)

Position: All over print (Inside fabric)

APT

Aromex

Dromex: Unit 1, 1 Blase Road, New Germany, 3620, South Africa T. +27(31) 713 1960 E. info@dromex.co.za www.dromex.co.za



MAIN LABEL

Latest update: 06/09/2022

Disclaime Dromex reserves the right to make changes without further notice to any products herein to improve function, design or reliability and validity. Dromex does not assume any liability arising out of the application or use of any product described herein. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner

ARC HEAT TRANSFER PRINT

Tag attached inside garment

Oromex



Position:



ARC HEAT TRANSFER PRINT



Position:

 Jacket - Left chest pocket flap · Pants - Back pocket flap

SIZE LABEL



Position: lacket - Neck



· Pants - Inside (left pocket)

DROMEX A.P.T. WATERMARK



Position



Jacket - Neck (Inside)

DROMEX ARC BOOKLET

RECOMMENDATIONS

Arc Flash PPE Categories



T. +27(31) 713 1960 E. info@dromex.co.za

www.dromex.co.za

Latest update: 06/09/2022 Disclaimer Dromex reserves the right to make changes without further notice to any products herein to improve function, design or reliability and validity. Dromex does not assume any liability arising out of the application or use of any product described herein. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner.